




Mediterranean lushness. High-class decoration at the most affordable price





In the pursuit of on-going improvement and excellence SUMIGRAN puts luxury and style within reach of every consumer. CAPRI artificial grass enables any client, regardless of their budget limitations, to gain access to the very best in top-class decoration at the lowest and most affordable price possible

This innovative material is made up of fibres of 35 mm in height whose density is 22,050 stitches / m2 It uses the "flat tape" yarn shape in 4 different colour shades (using the most advanced colour additives currently on the market) and a yarn weight that exceeds 1,300 gr / m2. The combination of these amazing technical characteristics ensures a very unique, natural looking artificial grass (its fibres are also treated to give a matt finish). Our careful, meticulous selection and use of only the best, softest yarn gives this outstanding product an extremely comfortable and pleasant texture

In fact, CAPRI artificial grass is a perfectly suitable model for any garden in which a reasonable price, smoothness and a leafy, natural look are the key requirements of the client

Feel the Mediterranean right from your own home

DENSITY 21000 stitches / m2	PILE WEIGHT 1360 grammes / m2	PILE HEIGHT 35 mm
		
APPEARANCE	SHAPE OF YARN	A CLOSER LOOK

LEVEL OF USE	TYPICAL USES	ICONS
Intense, it is going to be stepped on continuously	<ul style="list-style-type: none"> gardens of apartment block communities community pools, etc... 	
High, it will be stepped on frequently	<ul style="list-style-type: none"> private gardens swimming pools any other frequently walked-on area, etc... 	
Medium, you will step on it just occasionally	<ul style="list-style-type: none"> private gardens terraces / penthouse apartments swimming pools other less frequented areas, etc... 	
Low, merely decorative	<ul style="list-style-type: none"> decorative gardens roundabouts / separators shop windows fairs / events, etc... 	

DEGREE COMFORT	medium	
DEGREE RESILIENCE	high	
DEGREE REAL-LIFE APPEARANCE	high	
DEGREE SOFTNESS	high	

TECHNICAL CHARACTERISTICS OF THE YARN

DTEX	8100
Filament configuration	8 straight + 8 curly
Straight yarn	
Structure	Micromonofilament MMF
Shape	Concave in U
Composition	Polyethylene
Colour shade	Two-tone green (two colours)
Matte treatment	Yes
UV stabilised	Yes
Respectful with the environment	Yes, lead and cadmium free
Curly yarn	
Structure	Textured
Composition	Polypropylene
Colour	Beige and green



TECHNICAL CHARACTERISTICS OF THE BACKING

Primary support composition	Polypropylene
Primary support layers	1
Reinforced with net	Yes
Primary support weight	150 grammes / m2
Support coating	Latex
Support coating weight	900 grammes / m2

GENERAL TECHNICAL CHARACTERISTICS

Type of manufacturing system	Tufted cut pile + curly yarn
Gauge	3/8"
Stitches per m2	21000 (+/- 10%)
Stitches rate per 10cm	20 (+/- 1)
Pile height	35 mm (+/- 5%)
Total height	37 mm (+/- 5%)
Pile weight	1360 gr / m2 (+/- 10%)
Total weight	2410 gr / m2 (+/- 10%)
Dimensional stability	+/- 0,60 %
Water permeability	40 litres / minute / m2
Installation	Floating without silica sand infill (optional)

FORMATS AND MEASUREMENTS

Rolls  width: 2 meters length: 20 meters	Rolls  width: 4 meters length: 20 meters
--	--

