NATURA

Beauty and comfort

The artificial turf NATURA offers the customer the most natural and comfortable visual and tactile sensation at the best price in the market

Using an extremely soft yarn with a matte treatment and setting height of 50 mm and the maximum density allowed by this fiber (up to 25,200 stitches / m2), we obtain a tremendously comfortable, springy product while maintaining an extraordinary softness

The color used in its fibers uses the latest developments in dyes, achieving the most natural appearance with a similar tone to the Mediterranean artificial turf

The artificial turf NATURA contains almost 2,200 gr / m2 in its construction, which means that we are talking about the model with the best fiber / price weight ratio that can be found in the market today

The NATURA grass also has a related fire resistance test with Efl rating

An optimal product for private gardens, where the user needs the greatest comfort while putting it to use and when stepping on it, offering an extraordinarily attractive and realistic aesthetic



TECHNICAL CHARACTERISTICS OF THE YARN DTEX 7800 8 straight + 8 curly Filament configuration Straight yarn Structure Monofilament Flat Shape Polyethylene Composition Colour shade Two-tone green (two colours) Matte treatment Yes UV stabilised Yes Respectful with the environment Yes, lead and cadmium free Curly yarn Structure Textured Composition Polyethylene Beige and green Colour

TECHNICAL CHARACTERISTICS OF THE BACKING	
Primary support composition	Polypropylene
Primary support layers	1
Reinforced with net	Yes
Primary support weight	150 grammes / m2
Support coating	Latex
Support coating weight	900 grammes / m2

Type of manufacturing system	Tufted cut pile + curly yarn
Gauge	3/8"
Stitches per m2	25250 (+/- 10%)
Stitches rate per 10cm	24(+/-1)
Pile height	50 mm (+/- 5%)
Total height	52 mm (+/- 5%)
Pile weight	2162 gr / m2 (+/- 10%)
Total weight	3212 gr / m2 (+/- 10%)
Dimensional stability	+/- 0,60 %
Water permeability	40 litres / minute / m2
Fire resistance clasification	Efl
Installation	Floating without silica sand infill (optional)

FORMATS AND DIMENSIONS

